UnaveraChemLab GmbH

UnaveraChemLab

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006 Version 5.0 Revision Date 23.11.2012 Print Date 24.10.2016 GENERIC EU MSDS - NO COUNTRY SPECIFIC DATA - NO OEL DATA

| 1. | IDENTIFICATION OF | THE SUBSTANCE/MIXTURE AND OF THE COMPANY/UNDERTAKING | |
|-----|---|--|--|
| 1.1 | Product identifiers Product name | ² 3-Methylbenzylamine | |
| | Product Number Brand CAS-No. | : 119 : UnaveraChemLab GmbH : 100-81-2 | |
| 1.2 | 2 Relevant identified uses of the substance or mixture and uses advised against | | |
| | Identified uses | : Laboratory chemicals, Manufacture of substances | |
| 1.3 | Details of the supplier | r of the safety data sheet | |

2. HAZARDS IDENTIFICATION

2.1 Classification of the substance or mixture

Classification according to Regulation (EC) No 1272/2008 [EU-GHS/CLP] Skin corrosion (Category 1B)

Classification according to EU Directives 67/548/EEC or 1999/45/EC Causes burns.

2.2 Label elements

Labelling according Regulation (EC) No 1272/2008 [CLP]
Pictogram

| Signal word | Danger |
|-----------------------------------|--|
| Hazard statement(s) H314 | Causes severe skin burns and eye damage. |
| Precautionary statement(s) | |
| P280 | Wear protective gloves/ protective clothing/ eye protection/ face protection. |
| P305 + P351 + P338 | IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. |
| P310 | Immediately call a POISON CENTER or doctor/ physician. |
| Supplemental Hazard Statements | none |

According to European Directive 67/548/EEC as amended.

_

| R-phrase(s) R34 | Causes burns. |
|-------------------------|---|
| S-phrase(s) S26 | In case of contact with eyes, rinse immediately with plenty of water and seek medical advice. |
| S27 S36/37/39 S45 | Take off immediately all contaminated clothing. Wear suitable protective clothing, gloves and eye/face protection. In case of accident or if you feel unwell, seek medical advice immediately (show the label where possible). |

2.3 Other hazards - none

3. **COMPOSITION/INFORMATION ON INGREDIENTS**

3.1 Substances

| Formula | : | C ₈ H ₁₁ N |
|------------------|---|----------------------------------|
| Molecular Weight | : | 121,18 g/mol |

Component

| ethv | lben | zylamin | |
|------|------|---------|--|
| ~ | , | | |

| 3-Methylbenzylamin | | |
|--------------------|-----------|---|
| CAS-No. | 100-81-2 | - |
| EC-No. | 202-890-8 | |

4. FIRST AID MEASURES

4.1 Description of first aid measures

General advice

Consult a physician. Show this safety data sheet to the doctor in attendance.

If inhaled

If breathed in, move person into fresh air. If not breathing, give artificial respiration. Consult a physician.

In case of skin contact

Take off contaminated clothing and shoes immediately. Wash off with soap and plenty of water. Consult a physician.

In case of eye contact

Rinse thoroughly with plenty of water for at least 15 minutes and consult a physician.

If swallowed

Do NOT induce vomiting. Never give anything by mouth to an unconscious person. Rinse mouth with water. Consult a physician.

Most important symptoms and effects, both acute and delayed 4.2

Material is extremely destructive to tissue of the mucous membranes and upper respiratory tract, eyes, and skin., spasm, inflammation and edema of the larynx, spasm, inflammation and edema of the bronchi, pneumonitis, pulmonary edema, burning sensation, Cough, wheezing, laryngitis, Shortness of breath, Headache, Nausea

4.3 Indication of any immediate medical attention and special treatment needed no data available

FIREFIGHTING MEASURES 5.

5.1 Extinguishing media

Suitable extinguishing media

For small (incipient) fires, use media such as "alcohol" foam, dry chemical, or carbon dioxide. For large fires, apply water from as far as possible. Use very large quantities (flooding) of water applied as a mist or

Concentration

spray; solid streams of water may be ineffective. Cool all affected containers with flooding quantities of water.

5.2 Special hazards arising from the substance or mixture Carbon oxides, nitrogen oxides (NOx)

5.3 Advice for firefighters

Wear self contained breathing apparatus for fire fighting if necessary.

5.4 Further information

Use water spray to cool unopened containers.

6. ACCIDENTAL RELEASE MEASURES

6.1 Personal precautions, protective equipment and emergency procedures

Use personal protective equipment. Avoid breathing vapors, mist or gas. Ensure adequate ventilation. Remove all sources of ignition. Evacuate personnel to safe areas. Beware of vapours accumulating to form explosive concentrations. Vapours can accumulate in low areas.

6.2 Environmental precautions

Prevent further leakage or spillage if safe to do so. Do not let product enter drains.

 6.3 Methods and materials for containment and cleaning up Contain spillage, and then collect with an electrically protected vacuum cleaner or by wet-brushing and place in container for disposal according to local regulations (see section 13). Keep in suitable, closed containers for disposal.

6.4 Reference to other sections

For disposal see section 13.

7. HANDLING AND STORAGE

7.1 Precautions for safe handling

Avoid inhalation of vapour or mist. Keep away from sources of ignition - No smoking. Take measures to prevent the build up of electrostatic charge.

7.2 Conditions for safe storage, including any incompatibilities Store in cool place. Keep container tightly closed in a dry and well-ventilated place. Containers which are opened must be carefully resealed and kept upright to prevent leakage.

7.3 Specific end uses no data available

8. EXPOSURE CONTROLS/PERSONAL PROTECTION

8.1 Control parameters

Components with workplace control parameters

8.2 Exposure controls

Appropriate engineering controls

Handle in accordance with good industrial hygiene and safety practice. Wash hands before breaks and at the end of workday.

Personal protective equipment

Eye/face protection

Tightly fitting safety goggles. Faceshield (8-inch minimum). Use equipment for eye protection tested and approved under appropriate government standards such as NIOSH (US) or EN 166(EU).

Skin protection

Handle with gloves. Gloves must be inspected prior to use. Use proper glove removal technique (without touching glove's outer surface) to avoid skin contact with this product. Dispose of contaminated gloves after use in accordance with applicable laws and good laboratory practices. Wash and dry hands.

The selected protective gloves have to satisfy the specifications of EU Directive 89/686/EEC and the standard EN 374 derived from it.

Full contact Material: butyl-rubber Minimum layer thickness: 0,3 mm Break through time: > 480 min Material tested:Butoject® (Aldrich Z677647, Size M)

Splash protection Material: Nitrile rubber Minimum layer thickness: 0,4 mm Break through time: > 30 min Material tested:Camatril® (Aldrich Z677442, Size M)

data source: KCL GmbH, D-36124 Eichenzell, phone +49 (0)6659 87300, e-mail sales@kcl.de, test method: EN374

If used in solution, or mixed with other substances, and under conditions which differ from EN 374, contact the supplier of the CE approved gloves. This recommendation is advisory only and must be evaluated by an Industrial Hygienist familiar with the specific situation of anticipated use by our customers. It should not be construed as offering an approval for any specific use scenario.

Body Protection

Complete suit protecting against chemicals, The type of protective equipment must be selected according to the concentration and amount of the dangerous substance at the specific workplace.

Respiratory protection

Where risk assessment shows air-purifying respirators are appropriate use a full-face respirator with multi-purpose combination (US) or type ABEK (EN 14387) respirator cartridges as a backup to engineering controls. If the respirator is the sole means of protection, use a full-face supplied air respirator. Use respirators and components tested and approved under appropriate government standards such as NIOSH (US) or CEN (EU).

9. PHYSICAL AND CHEMICAL PROPERTIES

9.1 Information on basic physical and chemical properties

| a) | Appearance | Form: liquid |
|----|--|----------------------|
| b) | Odour | no data available |
| c) | Odour Threshold | no data available |
| d) | рН | no data available |
| e) | Melting point/freezing point | no data available |
| f) | Initial boiling point and boiling range | 202 - 205 °C - lit. |
| g) | Flash point | 81 °C - closed cup |
| h) | Evaporation rate | no data available |
| i) | Flammability (solid, gas) | no data available |
| j) | Upper/lower flammability or explosive limits | no data available |
| k) | Vapour pressure | no data available |
| I) | Vapour density | no data available |
| m) | Relative density | 0,966 g/cm3 at 25 °C |
| n) | Water solubility | no data available |
| 0) | Partition coefficient: n- octanol/water | no data available |

| | | Autoignition temperature | no data available |
|------|--------------------------------------|---|---|
| | | Decomposition temperature | no data available |
| | r) | Viscosity | no data available |
| | s) | Explosive properties | no data available |
| | t) | Oxidizing properties | no data available |
| 9.2 | | er safety information lata available | |
| 10. | STA | BILITY AND REACTI | νιτγ |
| 10.1 | | ctivity lata available | |
| 10.2 | | mical stability lata available | |
| 10.3 | | sibility of hazardous lata available | reactions |
| 10.4 | | ditions to avoid t, flames and sparks. | |
| 10.5 | | ompatible materials s, Acid chlorides, Acid | anhydrides, Strong oxidizing agents, Carbon dioxide (CO2) |
| 10.6 | | ardous decompositio er decomposition produ | on products ucts - no data available |
| 11. | тох | (ICOLOGICAL INFOR | MATION |
| 11.1 | Information on toxicological effects | | |
| | | te toxicity lata available | |
| | - | n corrosion/irritation lata available | |
| | | i ous eye damage/eye lata available | irritation |
| | | piratory or skin sens lata available | itization |
| | | m cell mutagenicity lata available | |
| | Car | cinogenicity | |
| | IAR | | t of this product present at levels greater than or equal to 0.1% is identified as sible or confirmed human carcinogen by IARC. |
| | | roductive toxicity lata available | |
| | | cific target organ tox lata available | icity - single exposure |
| | | cific target organ tox lata available | icity - repeated exposure |
| | | iration hazard lata available | |
| | Pot | ential health effects | |
| | | | Page 5 of 7 |

| | Ingestion Skin | May be harmful if inhaled. Material is ex the mucous membranes and upper resp May be harmful if swallowed. Causes bu May be harmful if absorbed through skir Causes eye burns. | viratory tract. urns. | |
|------|---|--|--------------------------|--|
| | Signs and Symptoms of Exposure Material is extremely destructive to tissue of the mucous membranes and upper respiratory tract, eyes, and skin., spasm, inflammation and edema of the larynx, spasm, inflammation and edema of the bronchi, pneumonitis, pulmonary edema, burning sensation, Cough, wheezing, laryngitis, Shortness of breath, Headache, Nausea | | | |
| | Additional Information RTECS: Not available | | | |
| 12. | ECOLOGICAL INFORMATION | l | | |
| 12.1 | Toxicity no data available | | | |
| 12.2 | Persistence and degradability no data available | | | |
| 12.3 | Bioaccumulative potential no data available | | | |
| 12.4 | Mobility in soil no data available | | | |
| 12.5 | Results of PBT and vPvB assessment no data available | | | |
| 12.6 | Other adverse effects no data available | | | |
| 13. | DISPOSAL CONSIDERATIONS | | | |
| 13.1 | Waste treatment methods | | | |
| | Product This combustible material may be burned in a chemical incinerator equipped with an afterburner and scrubber. Offer surplus and non-recyclable solutions to a licensed disposal company. Contact a licensed professional waste disposal service to dispose of this material. | | | |
| | Contaminated packaging Dispose of as unused product. | | | |
| 14. | TRANSPORT INFORMATION | | | |
| 14.1 | UN number ADR/RID: 2735 | IMDG: 2735 | IATA: 2735 | |
| 14.2 | UN proper shipping nameADR/RID:AMINES, LIQUID, CORROSIVE, N.O.S. (3-Methylbenzylamin)IMDG:AMINES, LIQUID, CORROSIVE, N.O.S. (3-Methylbenzylamin)IATA:Amines, liquid, corrosive, n.o.s. (3-Methylbenzylamin) | | | |
| 14.3 | Transport hazard class(es) ADR/RID: 8 | IMDG: 8 | IATA: 8 | |
| 14.4 | Packaging group ADR/RID: III | IMDG: III | IATA: III | |
| 14.5 | Environmental hazards ADR/RID: no | IMDG Marine pollutant: no | IATA: no | |
| 14.6 | Special precautions for user no data available | | | |

15. REGULATORY INFORMATION

This safety datasheet complies with the requirements of Regulation (EC) No. 1907/2006.

- 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture no data available
- 15.2 Chemical Safety Assessment no data available

16. OTHER INFORMATION

Further information

Copyright 2016 UnaveraChemLab GmbH. License granted to make unlimited paper copies for internal use only.

The above information is believed to be correct but does not purport to be all inclusive and shall be used only as a guide. The information in this document is based on the present state of our knowledge and is applicable to the product with regard to appropriate safety precautions. It does not represent any guarantee of the properties of the product. UnaveraChemLab GmbH shall not be held liable for any damage resulting from handling or from contact with the above product.