

# **UnaveraChemLab GmbH**

## SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006

Version 5.3 Revision Date 16.06.2014

Print Date 22.02.2017

GENERIC EU MSDS - NO COUNTRY SPECIFIC DATA - NO OEL DATA

#### SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1 Product identifiers

Product name : Sodium triacetoxyborohydride

Product Number : 52148

Brand : UnaveraChemLab GmbH

REACH No. : A registration number is not available for this substance as the substance

or its uses are exempted from registration, the annual tonnage does not

require a registration or the registration is envisaged for a later

registration deadline.

CAS-No. : 56553-60-7

1.2 Relevant identified uses of the substance or mixture and uses advised against

Identified uses : Laboratory chemicals, Manufacture of substances

1.3 Details of the supplier of the safety data sheet

Company : UnaveraChemLab GmbH

Am Ländbach 20 D-82481 Mittenwald

Telephone : +49 8823 1351
Fax : +49 8823 3449
E-mail address : info@unavera.de

1.4 Emergency telephone number

Emergency Phone # : +49 8823 1351

## **SECTION 2: Hazards identification**

#### 2.1 Classification of the substance or mixture

## Classification according to Regulation (EC) No 1272/2008

Flammable solids (Category 2), H228

Substances and mixtures, which in contact with water, emit flammable gases (Category 2), H261

Skin irritation (Category 2), H315

Specific target organ toxicity - single exposure (Category 3), Respiratory system, H335

For the full text of the H-Statements mentioned in this Section, see Section 16.

Classification according to EU Directives 67/548/EEC or 1999/45/EC

F Highly flammable R11, R14/15 Xi Irritant R37/38

For the full text of the R-phrases mentioned in this Section, see Section 16.

#### 2.2 Label elements

Labelling according Regulation (EC) No 1272/2008

Pictogram

Signal word Danger

UnaveraChemLab - 52148 Page 1 of 8

Hazard statement(s)

H228 Flammable solid.

H261 In contact with water releases flammable gases.

H315 Causes skin irritation.

H335 May cause respiratory irritation.

Precautionary statement(s)

P210 Keep away from heat/sparks/open flames/hot surfaces. - No smoking.

P231 + P232 Handle under inert gas. Protect from moisture.

P261 Avoid breathing dust.

P422 Store contents under inert gas.

Supplemental Hazard information (EU)

EUH014 Reacts violently with water.

#### 2.3 Other hazards - none

### **SECTION 3: Composition/information on ingredients**

#### 3.1 Substances

Synonyms : STAB

Formula :  $C_6H_{10}BNaO_6$ Molecular Weight : 211,94 g/mol : 56553-60-7

#### Hazardous ingredients according to Regulation (EC) No 1272/2008

Component		Classification	Concentration		
Borate(1-), tris(acetatokappa.O)hydro-, sodium, (T-4)-					
CAS-No.	56553-60-7	Flam. Sol. 2; Water-react.	2; <= 100 %		
		Skin Irrit. 2; STOT SE 3; F	1228,		
		H261, H315, H335, EUH0	14		

## Hazardous ingredients according to Directive 1999/45/EC

Component		Classification	Concentration		
Borate(1-), tris(acetatokappa.O)hydro-, sodium, (T-4)-					
CAS-No.	56553-60-7	F, Xi, R11 - R14/15 - R37/38	<= 100 %		

For the full text of the H-Statements and R-Phrases mentioned in this Section, see Section 16

#### **SECTION 4: First aid measures**

#### 4.1 Description of first aid measures

#### General advice

Consult a physician. Show this safety data sheet to the doctor in attendance.

#### If inhaled

If breathed in, move person into fresh air. If not breathing, give artificial respiration. Consult a physician.

## In case of skin contact

Wash off with soap and plenty of water. Consult a physician.

### In case of eye contact

Flush eyes with water as a precaution.

### If swallowed

Do NOT induce vomiting. Never give anything by mouth to an unconscious person. Rinse mouth with water. Consult a physician.

#### 4.2 Most important symptoms and effects, both acute and delayed

The most important known symptoms and effects are described in the labelling (see section 2.2) and/or in section 11

UnaveraChemLab - 52148 Page 2 of 8

### 4.3 Indication of any immediate medical attention and special treatment needed

no data available

## **SECTION 5: Firefighting measures**

### 5.1 Extinguishing media

## Suitable extinguishing media

Dry powder

#### 5.2 Special hazards arising from the substance or mixture

Carbon oxides, Borane/boron oxides, Sodium oxides

### 5.3 Advice for firefighters

Wear self contained breathing apparatus for fire fighting if necessary.

#### 5.4 Further information

no data available

#### **SECTION 6: Accidental release measures**

## 6.1 Personal precautions, protective equipment and emergency procedures

Use personal protective equipment. Avoid dust formation. Avoid breathing vapours, mist or gas. Ensure adequate ventilation. Remove all sources of ignition. Evacuate personnel to safe areas. Avoid breathing dust.

For personal protection see section 8.

#### 6.2 Environmental precautions

Prevent further leakage or spillage if safe to do so. Do not let product enter drains.

#### 6.3 Methods and materials for containment and cleaning up

Sweep up and shovel. Contain spillage, and then collect with an electrically protected vacuum cleaner or by wet-brushing and place in container for disposal according to local regulations (see section 13). Do not flush with water. Keep in suitable, closed containers for disposal.

### 6.4 Reference to other sections

For disposal see section 13.

## **SECTION 7: Handling and storage**

## 7.1 Precautions for safe handling

Avoid contact with skin and eyes. Avoid formation of dust and aerosols.

Provide appropriate exhaust ventilation at places where dust is formed. Keep away from sources of ignition - No smoking. Take measures to prevent the build up of electrostatic charge.

For precautions see section 2.2.

## 7.2 Conditions for safe storage, including any incompatibilities

Store in cool place. Keep container tightly closed in a dry and well-ventilated place. Store under inert gas. Never allow product to get in contact with water during storage.

#### 7.3 Specific end use(s)

Apart from the uses mentioned in section 1.2 no other specific uses are stipulated

### **SECTION 8: Exposure controls/personal protection**

## 8.1 Control parameters

Components with workplace control parameters

## 8.2 Exposure controls

### Appropriate engineering controls

Handle in accordance with good industrial hygiene and safety practice. Wash hands before breaks and at the end of workday.

### Personal protective equipment

#### Eye/face protection

Safety glasses with side-shields conforming to EN166 Use equipment for eye protection tested and approved under appropriate government standards such as NIOSH (US) or EN 166(EU).

#### Skin protection

Handle with gloves. Gloves must be inspected prior to use. Use proper glove removal technique (without touching glove's outer surface) to avoid skin contact with this product. Dispose of contaminated gloves after use in accordance with applicable laws and good laboratory practices. Wash and dry hands.

The selected protective gloves have to satisfy the specifications of EU Directive 89/686/EEC and the standard EN 374 derived from it.

Full contact

Material: Nitrile rubber

Minimum layer thickness: 0,11 mm Break through time: 480 min

Material tested: Dermatril® (KCL 740 / Aldrich Z677272, Size M)

Splash contact

Material: Nitrile rubber

Minimum layer thickness: 0,11 mm Break through time: 480 min

Material tested:Dermatril® (KCL 740 / Aldrich Z677272, Size M)

data source: KCL GmbH, D-36124 Eichenzell, phone +49 (0)6659 87300, e-mail sales@kcl.de,

test method: EN374

If used in solution, or mixed with other substances, and under conditions which differ from EN 374, contact the supplier of the CE approved gloves. This recommendation is advisory only and must be evaluated by an industrial hygienist and safety officer familiar with the specific situation of anticipated use by our customers. It should not be construed as offering an approval for any specific use scenario.

### **Body Protection**

impervious clothing, Flame retardant antistatic protective clothing, The type of protective equipment must be selected according to the concentration and amount of the dangerous substance at the specific workplace.

## **Respiratory protection**

Where risk assessment shows air-purifying respirators are appropriate use a full-face particle respirator type N100 (US) or type P3 (EN 143) respirator cartridges as a backup to engineering controls. If the respirator is the sole means of protection, use a full-face supplied air respirator. Use respirators and components tested and approved under appropriate government standards such as NIOSH (US) or CEN (EU).

### Control of environmental exposure

Prevent further leakage or spillage if safe to do so. Do not let product enter drains.

### **SECTION 9: Physical and chemical properties**

## 9.1 Information on basic physical and chemical properties

a) Appearance Form: solid

b) Odour no data available
c) Odour Threshold no data available
d) pH no data available

e) Melting point/freezing

point

116 - 120 °C

f) Initial boiling point and boiling range

no data available

UnaveraChemLab - 52148 Page 4 of 8

g) Flash point no data availableh) Evapouration rate no data available

i) Flammability (solid, gas) The substance or mixture is a flammable solid with the category 2. -

Flammability (solids)

j) Upper/lower

no data available

flammability or explosive limits

k) Vapour pressure no data available
 l) Vapour density no data available
 m) Relative density 1,43 g/cm3 at 20,5 °C

n) Water solubility Decomposes in contact with water.

o) Partition coefficient: n-

octanol/water

no data available

p) Auto-ignition temperature

no data available

q) Decomposition temperature

no data available

r) Viscosity no data available
 s) Explosive properties no data available
 t) Oxidizing properties no data available

#### 9.2 Other safety information

no data available

## **SECTION 10: Stability and reactivity**

#### 10.1 Reactivity

Reacts violently with water.

## 10.2 Chemical stability

Stable under recommended storage conditions.

## 10.3 Possibility of hazardous reactions

Reacts violently with water.

#### 10.4 Conditions to avoid

Heat, flames and sparks. Extremes of temperature and direct sunlight. Exposure to moisture.

## 10.5 Incompatible materials

Strong oxidizing agents, Water, Alcohols, Acids, Keep away from water.

### 10.6 Hazardous decomposition products

Other decomposition products - no data available

In the event of fire: see section 5

## **SECTION 11: Toxicological information**

## 11.1 Information on toxicological effects

## **Acute toxicity**

LD50 Oral - rat - male and female - > 2.000,0 mg/kg

Inhalation: no data available

Skin corrosion/irritation

Skin - rabbit

Result: Irritating to skin.

UnaveraChemLab - 52148 Page 5 of 8

## Serious eye damage/eye irritation

no data available

#### Respiratory or skin sensitisation

Maximisation Test - guinea pig Does not cause skin sensitisation. (OECD Test Guideline 406)

### Germ cell mutagenicity

no data available

in vitro assay Other cell types Result: negative

#### Carcinogenicity

IARC: No component of this product present at levels greater than or equal to 0.1% is identified as

probable, possible or confirmed human carcinogen by IARC.

## Reproductive toxicity

no data available

## Specific target organ toxicity - single exposure

Inhalation - May cause respiratory irritation.

## Specific target organ toxicity - repeated exposure

no data available

#### **Aspiration hazard**

no data available

#### **Additional Information**

RTECS: Not available

To the best of our knowledge, the chemical, physical, and toxicological properties have not been thoroughly investigated.

## **SECTION 12: Ecological information**

#### 12.1 Toxicity

no data available

## 12.2 Persistence and degradability

Biodegradability Biochemical oxygen demand - Exposure time 28 d

(OECD Test Guideline 301)

Remarks: Readily biodegradable, according to appropriate OECD test.

#### 12.3 Bioaccumulative potential

no data available

#### 12.4 Mobility in soil

no data available

### 12.5 Results of PBT and vPvB assessment

PBT/vPvB assessment not available as chemical safety assessment not required/not conducted

#### 12.6 Other adverse effects

no data available

## **SECTION 13: Disposal considerations**

#### 13.1 Waste treatment methods

#### **Product**

Burn in a chemical incinerator equipped with an afterburner and scrubber but exert extra care in igniting as this material is highly flammable. Offer surplus and non-recyclable solutions to a licensed disposal company.

#### Contaminated packaging

Dispose of as unused product.

#### **SECTION 14: Transport information**

#### 14.1 UN number

ADR/RID: 1409 IMDG: 1409 IATA: 1409

#### 14.2 UN proper shipping name

ADR/RID: METAL HYDRIDES, WATER-REACTIVE, N.O.S. (Borate(1-), tris(acetato-.kappa.O)hydro-,

sodium, (T-4)-)

IMDG: METAL HYDRIDES, WATER-REACTIVE, N.O.S. (Borate(1-), tris(acetato-.kappa.O)hydro-,

sodium, (T-4)-)

IATA: Metal hydrides, water-reactive, n.o.s. (Borate(1-), tris(acetato-.kappa.O)hydro-, sodium, (T-4)-

)

#### 14.3 Transport hazard class(es)

ADR/RID: 4.3 IMDG: 4.3 IATA: 4.3

14.4 Packaging group

ADR/RID: II IMDG: II IATA: II

14.5 Environmental hazards

ADR/RID: no IMDG Marine pollutant: no IATA: no

## 14.6 Special precautions for user

no data available

## **SECTION 15: Regulatory information**

This safety datasheet complies with the requirements of Regulation (EC) No. 1907/2006.

#### 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

no data available

## 15.2 Chemical Safety Assessment

For this product a chemical safety assessment was not carried out

## **SECTION 16: Other information**

## Full text of H-Statements referred to under sections 2 and 3.

EUH014 Reacts violently with water.

Flam. Sol. Flammable solids H228 Flammable solid.

H261 In contact with water releases flammable gases.

H315 Causes skin irritation.

H335 May cause respiratory irritation.

Skin Irrit. Skin irritation

STOT SE Specific target organ toxicity - single exposure

### Full text of R-phrases referred to under sections 2 and 3

F Highly flammable

Xi Irritant

UnaveraChemLab - 52148 Page 7 of 8

R11 Highly flammable.

R14/15 Reacts violently with water, liberating extremely flammable gases.

R37/38 Irritating to respiratory system and skin.

## **Further information**

Copyright 2014 UnaveraChemLab GmbH. License granted to make unlimited paper copies for internal use only.

The above information is believed to be correct but does not purport to be all inclusive and shall be used only as a guide. The information in this document is based on the present state of our knowledge and is applicable to the product with regard to appropriate safety precautions. It does not represent any guarantee of the properties of the product. UnaveraChemLab GmbH shall not be held liable for any damage resulting from handling or from contact with the above product. See www.unavera.de

UnaveraChemLab - 52148 Page 8 of 8