

UnaveraChemLab GmbH

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006 Version 6.1 Revision Date 04.06.2014 Print Date 23.01.2015 GENERIC EU MSDS - NO COUNTRY SPECIFIC DATA - NO OEL DATA

SECTION 1: Identification of the substance/mixture and of the company/undertaking

11 **Product identifiers** Product name Tetrahydrofuran Brand UnaveraChemLab GmbH Index-No. 603-025-00-0 REACH No. : 01-2119444314-46-XXXX CAS-No. 109-99-9 1.2 Relevant identified uses of the substance or mixture and uses advised against

: Laboratory chemicals, Manufacture of substances

Details of the supplier of the safety data sheet UnaveraChemLab GmbH Company AmLändbach 20 D-82481 Mittenwald +49 8823 1351 Telephone Fax +49 8823 3449 E-mail address info@unavera.de

1.4 Emergency telephone number

Identified uses

1.3

Emergency Phone # : +49 8823 1351

SECTION 2: Hazards identification

2.1 Classification of the substance or mixture

Classification according to Regulation (EC) No 1272/2008 Flammable liquids (Category 2), H225 Eve irritation (Category 2), H319 Carcinogenicity (Category 2), H351 Specific target organ toxicity - single exposure (Category 3), Respiratory system, H335

For the full text of the H-Statements mentioned in this Section, see Section 16.

Classification according to EU Directives 67/548/EEC or 1999/45/EC

F	Highly flammable	R11, R19
Xi	Irritant	R36/37
		R40

For the full text of the R-phrases mentioned in this Section, see Section 16.

2.2 Label elements

Labelling according Regulation (EC) No 1272/2008 Pictogram

Signal word

Danger

Hazard statement(s) H225 H319

Highly flammable liquid and vapour. Causes serious eye irritation.

UnaveraChemLab GmbH

H335	May cause respiratory irritation.		
H351	Suspected of causing cancer.		
Precautionary statement(s)	Keep away from heat/sparks/open flames/hot surfaces No smoking.		
P210	Avoid breathing vapours.		
P261	Use personal protective equipment as required.		
P281	IF IN EYES: Rinse cautiously with water for several minutes. Remove		
P305 + P351 + P338	contact lenses, if present and easy to do. Continue rinsing.		
Supplemental Hazard information (EU) EUH019 May form explosive peroxides.			

2.3 Other hazards - none

SECTION 3: Composition/information on ingredients

3.1 Substances

Synonyms	:	THF
Formula	:	C ₄ H ₈ O
Molecular Weight	:	72,11 g/mol
CAS-No.	:	109-99-9
EC-No.	:	203-726-8
Index-No.	:	603-025-00-0
Registration number	:	01-2119444314-46-XXXX

Hazardous ingredients according to Regulation (EC) No 1272/2008

Component		Classification	Concentration
Tetrahydrofuran			
CAS-No.	109-99-9	Flam. Liq. 2; Eye Irrit. 2; Carc.	<= 100 %
EC-No.	203-726-8	2; STOT SE 3; H225, H319,	
Index-No.	603-025-00-0	H335, H351, EUH019	
Registration number	01-2119444314-46-XXXX		

Hazardous ingredients according to Directive 1999/45/EC

Component		Classification	Concentration
Tetrahydrofuran			
CAS-No.	109-99-9	F, Xn, Carc.Cat.3, R11 - R19 -	<= 100 %
EC-No.	203-726-8	R40 - R36/37	
Index-No.	603-025-00-0		
Registration number	01-2119444314-46-XXXX		

For the full text of the H-Statements and R-Phrases mentioned in this Section, see Section 16

SECTION 4: First aid measures

4.1 Description of first aid measures

General advice

Consult a physician. Show this safety data sheet to the doctor in attendance.

If inhaled

If breathed in, move person into fresh air. If not breathing, give artificial respiration. Consult a physician.

In case of skin contact

Wash off with soap and plenty of water. Consult a physician.

In case of eye contact

Rinse thoroughly with plenty of water for at least 15 minutes and consult a physician.

If swallowed

Do NOT induce vomiting. Never give anything by mouth to an unconscious person. Rinse mouth with water. Consult a physician.

UnaveraChemLab GmbH

4.2 Most important symptoms and effects, both acute and delayed

The most important known symptoms and effects are described in the labelling (see section 2.2) and/or in section 11

4.3 Indication of any immediate medical attention and special treatment needed no data available

SECTION 5: Firefighting measures

5.1 Extinguishing media

Suitable extinguishing media

Use water spray, alcohol-resistant foam, dry chemical or carbon dioxide.

5.2 Special hazards arising from the substance or mixture Carbon oxides

5.3 Advice for firefighters Wear self contained breathing apparatus for fire fighting if necessary.

5.4 Further information

Use water spray to cool unopened containers.

SECTION 6: Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures

Use personal protective equipment. Avoid breathing vapours, mist or gas. Ensure adequate ventilation. Remove all sources of ignition. Evacuate personnel to safe areas. Beware of vapours accumulating to form explosive concentrations. Vapours can accumulate in low areas. For personal protection see section 8.

6.2 Environmental precautions

Prevent further leakage or spillage if safe to do so. Do not let product enter drains.

6.3 Methods and materials for containment and cleaning up

Contain spillage, and then collect with an electrically protected vacuum cleaner or by wet-brushing and place in container for disposal according to local regulations (see section 13).

6.4 Reference to other sections

For disposal see section 13.

SECTION 7: Handling and storage

7.1 Precautions for safe handling

Avoid contact with skin and eyes. Avoid inhalation of vapour or mist. Keep away from sources of ignition - No smoking. Take measures to prevent the build up of electrostatic charge.

For precautions see section 2.2.

7.2 Conditions for safe storage, including any incompatibilities

Store in cool place. Keep container tightly closed in a dry and well-ventilated place. Containers which are opened must be carefully resealed and kept upright to prevent leakage.

Dry residue is explosive. Store under inert gas. Test for peroxide formation periodically and before distillation.

7.3 Specific end use(s)

Apart from the uses mentioned in section 1.2 no other specific uses are stipulated

SECTION 8: Exposure controls/personal protection

8.1 Control parameters

Components with workplace control parameters

Derived No Effect Level (DNEL)

Application Area	Exposure routes	Health effect	Value
Workers	Skin contact	Long-term systemic effects	25mg/kg BW/d
Consumers	Skin contact	Long-term systemic effects	15mg/kg BW/d
Workers	Inhalation	Long-term local effects	150 mg/m3
Workers	Inhalation	Long-term systemic effects	150 mg/m3
Consumers	Inhalation	Long-term systemic effects	62 mg/m3
Consumers	Inhalation	Acute local effects	150 mg/m3
Consumers	Inhalation	Acute systemic effects	150 mg/m3

Predicted No Effect Concentration (PNEC)

Compartment	Value	
Soil	2,13 mg/kg	
Marine water	0,432 mg/l	
Fresh water	4,32 mg/l	
Marine sediment	2,33 mg/kg	
Fresh water sediment	23,3 mg/kg	
Onsite sewage treatment plant	4,6 mg/l	

8.2 Exposure controls

Appropriate engineering controls

Handle in accordance with good industrial hygiene and safety practice. Wash hands before breaks and at the end of workday.

Personal protective equipment

Eye/face protection

Face shield and safety glasses Use equipment for eye protection tested and approved under appropriate government standards such as NIOSH (US) or EN 166(EU).

Skin protection

Handle with gloves. Gloves must be inspected prior to use. Use proper glove removal technique (without touching glove's outer surface) to avoid skin contact with this product. Dispose of contaminated gloves after use in accordance with applicable laws and good laboratory practices. Wash and dry hands.

The selected protective gloves have to satisfy the specifications of EU Directive 89/686/EEC and the standard EN 374 derived from it.

Splash contact Material: butyl-rubber Minimum layer thickness: 0,3 mm Break through time: 18 min Material tested:Butoject® (KCL 897 / Aldrich Z677647, Size M)

data source: KCL GmbH, D-36124 Eichenzell, phone +49 (0)6659 87300, e-mail sales@kcl.de, test method: EN374

If used in solution, or mixed with other substances, and under conditions which differ from EN 374, contact the supplier of the CE approved gloves. This recommendation is advisory only and must be evaluated by an industrial hygienist and safety officer familiar with the specific situation of anticipated use by our customers. It should not be construed as offering an approval for any specific use scenario.

Body Protection

Complete suit protecting against chemicals, Flame retardant antistatic protective clothing, The type of protective equipment must be selected according to the concentration and amount of the dangerous substance at the specific workplace.

Respiratory protection

Where risk assessment shows air-purifying respirators are appropriate use a full-face respirator with multi-purpose combination (US) or type AXBEK (EN 14387) respirator cartridges as a backup to engineering controls. If the respirator is the sole means of protection, use a full-face supplied air respirator. Use respirators and components tested and approved under appropriate government standards such as NIOSH (US) or CEN (EU).

Control of environmental exposure

Prevent further leakage or spillage if safe to do so. Do not let product enter drains.

SECTION 9: Physical and chemical properties

9.1	Information on basic p	on basic physical and chemical properties	
	a) Appearance	Form: liquid, clear	

a)	Appearance	Form: liquid, clear Colour: colourless
b)	Odour	no data available
c)	Odour Threshold	no data available
d)	рН	no data available
e)	Melting point/freezing point	-108,0 °C
f)	Initial boiling point and boiling range	65,0 - 67,0 °C
g)	Flash point	-17,0 °C - closed cup
h)	Evapouration rate	no data available
i)	Flammability (solid, gas)	no data available
j)	Upper/lower flammability or explosive limits	Upper explosion limit: 11,8 %(V) Lower explosion limit: 1,8 %(V)
k)	Vapour pressure	152,0 hPa at 15,0 °C 190,7 hPa at 20,0 °C 213,3 hPa at 25,0 °C 373,3 hPa at 38,0 °C
I)	Vapour density	no data available
m)	Relative density	0,89 g/cm3
n)	Water solubility	soluble
o)	Partition coefficient: n- octanol/water	log Pow: < 1
p)	Auto-ignition temperature	321,0 °C
q)	Decomposition temperature	no data available
r)	Viscosity	0,512 mm2/s at 25 $^\circ\text{C}$ - 0,403 mm2/s at 50 $^\circ\text{C}$ -
s)	Explosive properties	no data available
t)	Oxidizing properties	no data available
	-	
	b) c) d) e) f) g) h) i) j) k) l) m) n) o) p) q) r) s) t) Oth	 b) Odour c) Odour Threshold d) pH e) Melting point/freezing point f) Initial boiling point and boiling range g) Flash point h) Evapouration rate i) Flammability (solid, gas) j) Upper/lower flammability or explosive limits k) Vapour pressure l) Vapour density m) Relative density m) Water solubility o) Partition coefficient: n-octanol/water p) Auto-ignition temperature q) Decomposition temperature r) Viscosity s) Explosive properties

no data available

UnaveraChemLab GmbH

9.2

SECTION 10: Stability and reactivity

10.1 Reactivity

no data available

10.2 Chemical stability

Stable under recommended storage conditions. Test for peroxide formation before distillation or evaporation. Test for peroxide formation or discard after 1 year.

10.3 Possibility of hazardous reactions no data available

10.4 Conditions to avoid Heat, flames and sparks. Extremes of temperature and direct sunlight.

10.5 Incompatible materials Oxidizing agents, Oxygen

10.6 Hazardous decomposition products Other decomposition products - no data available In the event of fire: see section 5

SECTION 11: Toxicological information

11.1 Information on toxicological effects

Acute toxicity

LD50 Oral - rat - 2.050 - 2.850 mg/kg

LC50 Inhalation - rat - 4 h - 54 mg/l

LD50 Dermal - rat - > 2.000 mg/kg

Skin corrosion/irritation Skin - rabbit Result: Mild skin irritation

(Draize Test)

Serious eye damage/eye irritation

Eyes - rabbit Result: Risk of serious damage to eyes. (Draize Test)

Respiratory or skin sensitisation

- guinea pig Did not cause sensitisation on laboratory animals.

Germ cell mutagenicity

In vivo tests did not show mutagenic effects

Ames test S. typhimurium Result: negative

Carcinogenicity

Suspected human carcinogens

IARC: No component of this product present at levels greater than or equal to 0.1% is identified as probable, possible or confirmed human carcinogen by IARC.

Reproductive toxicity

No toxicity to reproduction

Specific target organ toxicity - single exposure

May cause drowsiness or dizziness. - Nervous system May cause respiratory irritation.

UnaveraChemLab GmbH

Specific target organ toxicity - repeated exposure

The substance or mixture is not classified as specific target organ toxicant, repeated exposure.

Aspiration hazard

No aspiration toxicity classification

Additional Information

RTECS: LU5950000

Central nervous system depression, Cough, chest pain, Difficulty in breathing, Exposure to high airborne concentrations can cause anesthetic effects., To the best of our knowledge, the chemical, physical, and toxicological properties have not been thoroughly investigated.

SECTION 12: Ecological information

12.1 Toxicity

Toxicity to fish	LC50 - Pimephales promelas (fathead minnow) - 2.160 mg/l - 96 h
Toxicity to daphnia and other aquatic invertebrates	EC50 - Daphnia magna (Water flea) - 382 mg/l - 24 h
Toxicity to algae	Growth inhibition IC50 - Algae - 3.700 mg/l - 192 h

12.2 Persistence and degradability

Biodegradability

(OECD Test Guideline 301) Remarks: According to the results of tests of biodegradability this product is not readily biodegradable.

12.3 Bioaccumulative potential No bioaccumulation is to be expected (log Pow <= 4).

12.4 Mobility in soil no data available

12.5 Results of PBT and vPvB assessment

PBT/vPvB assessment not available as chemical safety assessment not required/not conducted

12.6 Other adverse effects

no data available

SECTION 13: Disposal considerations

13.1 Waste treatment methods

Product

Burn in a chemical incinerator equipped with an afterburner and scrubber but exert extra care in igniting as this material is highly flammable. Offer surplus and non-recyclable solutions to a licensed disposal company.

Contaminated packaging

Dispose of as unused product.

SECTI	SECTION 14: Transport information						
	UN number ADR/RID: 2		IMDG: 2056	IATA: 2056			
	ADR/RID:	shipping name TETRAHYDROFURAN TETRAHYDROFURAN Tetrahydrofuran					
	Transport I ADR/RID: 3	nazard class(es)	IMDG: 3	IATA: 3			
Unavera	ChemLab Gmb	ъΗ			Page 7 of 8		

14.4	Packaging group ADR/RID: II	IMDG: II	IATA: II
14.5	Environmental hazards ADR/RID: no	IMDG Marine pollutant: no	IATA: no
14.6	Special precautions for user no data available		

SECTION 15: Regulatory information

This safety datasheet complies with the requirements of Regulation (EC) No. 1907/2006.

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

no data available

15.2 Chemical Safety Assessment

A Chemical Safety Assessment has been carried out for this substance.

SECTION 16: Other information

Full text of H-Statements referred to under sections 2 and 3.

Carc.	Carcinogenicity
EUH019	May form explosive peroxides.
Eye Irrit.	Eye irritation
Flam. Liq.	Flammable liquids
H225	Highly flammable liquid and vapour.
H319	Causes serious eye irritation.
H335	May cause respiratory irritation.
H351	Suspected of causing cancer.
STOT SE	Specific target organ toxicity - single exposure

Full text of R-phrases referred to under sections 2 and 3

F	Highly flammable
Xn	Harmful
R11	Highly flammable.
R19	May form explosive peroxides.
R36/37	Irritating to eyes and respiratory system.
R40	Limited evidence of a carcinogenic effect.

Further information

Copyright 2014 UnaveraChemLab GmbH . License granted to make unlimited paper copies for internal use only.

The above information is believed to be correct but does not purport to be all inclusive and shall be used only as a guide. The information in this document is based on the present state of our knowledge and is applicable to the product with regard to appropriate safety precautions. It does not represent any guarantee of the properties of the product. UnaveraChemLab GmbH shall not be held liable for any damage resulting from handling or from contact with the above product. See www.unavera.de